

Neon COBPlus 1006 10W/m

Neon COBPlus 1006 10W/m is a COB neon LED strip that delivers continuous and uniform lighting with no visible dots. Its flexible design allows easy installation in straight lines or curves, making it ideal for decorative, architectural, and signage applications, with an excellent balance between performance and energy efficiency.



Qualities

- LED
-
- 24V
- IP67
- ⌚ 55.000h
- McAdam C2

Led Colour

- 2.7K
- 3K
- 4K


Regulation

- NO DIM
- DALI
-

Beam Angle

- 90°


REF. CODE





PARAMETER

	W	V	TEMP	LUM/m	CRI
Neón COBPlus 1006 10W/m	10W	24V	2.700K	710	>90
			3.000K	720	
			4.000K	750	
			TW	590	


TEC. DRAWINGS




Cutting interval: 25mm
Cutting interval TW: 27.7m



Light Distribution Curve




Illuminance Curve




Connection diagram


Single Color Connection Diagram




Tunable white Connection Diagram




Installation Diagram




Installation Precautions



Put in the profile





1.Installer:

- Press the light with the palm of the left hand to slowly load it into the slot. Straighten the light with right hand, hold it and rotate it 90° to droop it in the direction of your hand. See Figure 1.
- Do not bend the luminous surface to the side. See Figure 2.

2.Assistant:

- Cooperate with the installer to lift the reel of the light, and then slowly deliver the light to installer. Do not pull or twist the light during the installation.