



PIXEL

PIXEL INDUSTRY

Perfil de extrusión de aluminio y ópticas en diferentes ángulos de apertura para ayudarte a solventar los diferentes desafíos lumínicos que puedas tener. El Pixel cuenta con led de alta eficiencia que viene bien para esos espacios donde la noche no existe.

Aluminum extrusion Profile available with different options of optics and beam angles to help you to solve the different lighting challenges you may have. The pixel has a high efficiency led that works well for those spaces where the darkness is not an option.



PIXEL INDUSTRY



	W	mm	mA	TEMP	LUM	CRI
PIXEL_05	21.8	582	350	3.000K	3.520	>80
				4.000K	3.780	
				5.000K	3.840	
				6.000K	3.640	
PIXEL_11	43.6	1154	350	3.000K	7.040	>80
				4.000K	7.560	
				5.000K	7.680	
				6.000K	7.280	
PIXEL_17	65.4	1726	350	3.000K	10.560	>80
				4.000K	11.340	
				5.000K	11.520	
				6.000K	10.920	


CRI >90 Optional, please consult it.

TEC.DRAWINGS


Surface Version



Pendant Version



Recessed Version



LED	230V	IP20 INT	54.000h L80 B10	McAdam C3
≈ 22W >	3.500lm	PIXX A 05	. . .	A ..
≈ 44W >	7.000lm	PIXX A 11	. . .	A ..
≈ 66W >	10.500lm	PIXX A 17	. . .	A ..


BASIC OPTIONS

NO DIM	N	No Dimmable								
4K	4	4000K								
9	9	110°								
A	A	Ice Difusser								
WS	WS	Satin White	PIXX A 05	N 4 9 A	WS					
			PIXX A 11	N 4 9 A	WS					
			PIXX A 17	N 4 9 A	WS					
BS	BS	Satin Black	PIXX A 05	N 4 9 A	BS					
			PIXX A 11	N 4 9 A	BS					
			PIXX A 17	N 4 9 A	BS					


CUSTOMIZE OPTIONS

LED CONTROL										
DALI	D	Dimmable Dali	PIXX A ..	D					
LED COLOR TEMPERATURE										
3K	3	3.000K	PIXX A ..	. 4					
5K	5	5.000K	PIXX A ..	. 4					
6K	6	6.500K	PIXX A ..	. 4					
LED BEAM ANGLE										
6	6	Wide Flood	PIXX A 6					
7	7	Retail Symetric	PIXX A 7					
LED COMPLEMENTS										
B	B	Clear Difusser	PIXX A B					

COMPLEMENTS CODES
SURFACE VERSION




Interior Joint
No Dim CPIXEL00041RW
Dali CPIXEL00042RW
*Only for continuos



End cap
White CPIXEL00033VS
Black CPIXEL00033BL


Ref.	Lenght	Ele. Union	Joint
Pixel 05 + 05	1160 mm	1m	1
Pixel 05 + 11	1732 mm	1m	1
Pixel 05 + 14	2304 mm	1.5m	1
Pixel 11 + 11	2304 mm	1.5m	1
Pixel 11 + 17	2876 mm	2m	1
Pixel 17 + 17	3448 mm	2m	1

CONTINUOS VERSION




⚠ IMPORTANTE: Una alimentación para máximo 10 metros.
ATTENTION: Maximum 10 meters per one power supply.


OPTICS OPTIONS




COMPLEMENTS CODES
PENDANT VERSION




Electrical Susp. NO-DIM
1.5m White CPIXEL00036BL
1.5m Black CPIXEL00036NE



Electrical Susp. DIM
1.5m White CPIXEL00037BL
1.5m Black CPIXEL00037NE




Kit Suspension
1.5m Nickel CPIXEL00035NR
1.5m Black CPIXEL00035NE



Interior Joint
No Dim CPIXEL00041RW
Dali CPIXEL00042RW
*Only for continuous

Ref.	Length	Elec. Susp.	Kit Susp.
Pixel 05	582 mm	1	2
Pixel 11	1154 mm	1	2
Pixel 17	1726 mm	1	2


INDIVIDUAL VERSION



CONTINUOUS VERSION

Ref.	mm	Ele. Union	Joint	Elec. Susp	Kit Susp
Pixel 05 + 05	1160	1m	1	1	4
Pixel 05 + 11	1732	1m	1	1	4
Pixel 05 + 17	2304	1.5m	1	1	4
Pixel 11 + 11	2304	1.5m	1	1	4
Pixel 11 + 17	2876	2m	1	1	4
Pixel 17 + 17	3448	2m	1	1	4


Ejemplo de combinaciones
Some example of combinations




! IMPORTANTE: Una alimentación para máximo 10 metros.
ATTENTION: Maximum 10 meters per one power supply.

COMPLEMENTS CODES


FRAMELESS VERSION




Interior Joint
 No Dim CPIXEL00041RW
 Dali CPIXEL00042RW
 *Only for continuos




Ceiling Bracket Pixel
 CPIXEL00039RW



End cap
 White CPIXEL00033WS
 Black CPIXEL00033BL

Ref.	Lenght		Ceiling strip
Pixel 05	582 mm	584x45	2
Pixel 11	1154 mm	1156x45	2
Pixel 17	1726 mm	1728x45	2


INDIVIDUAL VERSION




CONTINUOUS VERSION

Ref.	mm	Ele. Union	Joint	Strp
Pixel 05 + 05	1160	1m	1	4
Pixel 05 + 11	1732	1m	1	4
Pixel 05 + 14	2304	1,5m	1	4
Pixel 11 + 11	2304	1,5m	1	4
Pixel 11 + 17	2876	2m	1	4
Pixel 17 + 17	3448	2m	1	4


Ejemplo de combinaciones
 Some example of combinations




 **IMPORTANTE:** Una alimentación para máximo 10 metros.
ATTENTION: Maximum 10 meters per one power supply.

ACCESORIES


BLIND COVER



Blind Profile 0.5 Meters
Satin White CPIXEL00043BL
Satin Black CPIXEL00043NE
*Only for continuos




Blind Profile 1 Meters
Satin White CPIXEL00044BL
Satin Black CPIXEL00044NE
*Only for continuos




Interior Joint
CPIXEL00034RW
*Only for continuos
*Without electrical union


Blind Profile	Pendant Version	Frameless Version	Surface Version
0.5 Meters	1 Sup. Kit	1 Ceiling Strip	-
1 Meters	2 Sup. Kit	1 Ceiling Strip	-



EMERGENCY KIT



Emergency Kit
CPIXEL00038RW
*Solo disponible para Pixel 11 y 17
*Only available for Pixel 11 and 17



Pixel P 17 + Emergency Kit
El Kite de emrgencia esta en el interior del perfil
The emergency kit is inside