

# ATOM

- INGROUND UPLIGHTER
- RECESS DOWNLIGHT
- SPOTLIGHT
- UNDERWATER SPOTLIGHT



[www.unilamp.co.th/en/p/atom](http://www.unilamp.co.th/en/p/atom)



**ATOM** is a ground / ceiling recess indicator light and is also suitable for under water light application. **ATOM** has been designed and manufactured at highest attribute. Utilizing CNC lathed stainless steel, it presented exceptional aesthetic as well as sleek tough feeling. LED chips and lenses are from world top manufacturers. GFR polymer recess kit allows it to be installed in most extreme environment. Ensuring long life. **ATOM** is supplied with a factory fitted pre-wired cable for ease of installation. The Anti-Humidity wiring system eliminates condensation inside the housing and prolong the life time of the luminaire. IP68 connectors is recommended as an accessory for trouble free installation.



IP68	IK 10/07				3 SDCM	CRI >80
------	----------	--	--	--	--------	---------

INPUT OPTION

--	--

Specification

- Designed, Manufactured and Tested according to IEC 60598
- Marine grade 316 stainless steel body and screws.
- GFR polymer recess housing.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module.
- Remote driver – constant current / constant voltage.
- Pre-wired cable from the factory.
- Installation must be carried out according to the enclosed product manual.
- For ground recess application, the water drainage system must be tested to ensure that it is working sufficiently and efficiently.







THE TARA CHAENGWATTANA, BANGKOK - THAILAND



# ATOM



ATOM  
CC Ground / Concrete Wall Recess  
CV Ground / Concrete Wall Recess



OD-990  
(CC)

OD-980  
(CV)


ATOM  
CC Recess Downlight  
CV Recess Downlight



OD-780  
(CC)

OD-790  
(CV)

ATOM  
CC Spotlight  
CV Spotlight



(CC/CV)

## ATOM


### INGROUND UPLIGHTER

ATOM - CC Ground / Concrete Wall Recess / 990  
ATOM - CV Ground / Concrete Wall Recess / 980

#### Luminaire Performance

8 - 180 lm  
3.3 - 3.9 W  
2 - 46 lm/W

#### Beam Options



#### Color Temperature

2700K/ 3000K/ 4000K/ Red/ Green/ Blue

#### Controller

Remote Driver On-Off/ DALI

## ATOM

### RECESS DOWNLIGHT

ATOM - CC Recess Downlight / 7390  
ATOM - CV Recess Downlight / 7380

#### Luminaire Performance

8 - 180 lm  
3.3 - 3.9 W  
2 - 46 lm/W

#### Beam Options



#### Color Temperature

2700K/ 3000K/ 4000K/ Red/ Green/ Blue

#### Controller

Remote Driver On-Off/ DALI

## ATOM

### SPOTLIGHT

ATOM - CC Spotlight / 5980  
ATOM - CV Spotlight / 5981

#### Luminaire Performance

8 - 180 lm  
3.3 - 3.9 W  
2 - 46 lm/W

#### Beam Options



#### Color Temperature

2700K/ 3000K/ 4000K/ Red/ Green/ Blue

#### Controller

Remote Driver On-Off/ DALI

#### Accessories



Softening filter



Tree strap



Distribution block



CC Driver




CV Driver



IP68 Connector

ATOM  
 CC Wall Recess Under Water  
 CV Wall Recess Under Water



## ATOM

### UNDER WATER SPOTLIGHT

ATOM - CC Wall Recess Under Water / 7481	
ATOM - CV Wall Recess Under Water / 7480	
<b>Luminaire Performance</b>	
	8 - 270 lm
	3.3 - 5.6 W
	2 - 48 lm/W
<b>Beam Options</b>	
Medium	Wide      Elliptical H
<b>Color Temperature</b>	
2700K/ 3000K/ 4000K/ Red/ Green/ Blue	
<b>Controller</b>	
Remote Driver On-Off/ DALI	

Accessories	
	Softening filter
	Distribution box
	CC Driver
	CV Driver
	IP68 Connector