# CAP







The CAP amily is a fresh range of bollards and low mounted pole lights\*. Designed from scratch with the latest lighting requirements in mind. The highly efficient LEDs are shield and emit no upward light. The light engine features great color consistency, excellent color rendering index and dimming options. Specification grade optics make the medisized version\* a highly competitive lighting tool for demanding professional lighting tas With its compact dimensions the scratch size that solution for residential lighting projects. Regardless of size the prewired supply cable, numerous mounting solutions are minimized amount of screws assure a simplified installation process.

Medium size version. \*Available in September 2022.





# Specification

- Designed, Manufactured and tested according to IEC 60598 Black
- LM6 Die Cast Aluminium and Extruded Aluminium body.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.

- Post-cured silicone gasket.
  High quality LED module and driver.
  Bollard pre-wired with outdoor cable.
- Installation must be carried out according to the enclosed product manual.

# Available Color

Graphite Dark Grey

Aluminium Silver White

Wooden Brown

(replace the last 2 digits of ordering code with 01) (replace the last 2 digits of ordering code with 02) (replace the last 2 digits of ordering code with 03) (replace the last 2 digits of ordering code with 04) (replace the last 2 digits of ordering code with 06) (replace the last 2 digits of ordering code with 07)

**∆**Unilamp



## Mini CAP - Short Bollard Flange Base / Flange Base CVDA

Mini CAP - Short Bollard Root Mount Base / Root Mount Base CVDA

NEW!

Mini CAP - Bollard Flange Base / Flange Base CVDA

Mini CAP - Bollard Root Mount Base / Root Mount Base CVDA




















# Mini CAP

# **BOLLARDS**

Mini CAP - Short Bollard Flange Base/DA / 7178


Mini CAP - Short Bollard Root Mount Base / Root Mount Base CVDA / 7878

Mini CAP - Bollard Flange Base / Flange Base CVDA / 7177

Mini CAP - Bollard Root Mount Base / Root Mount Base CVDA / 7877


**LED Module** 640 - 1010 lm 7 - 9W 91 - 112 lm/W **Beam Options Color Temperature** 2700K/ 3000K/ 4000K Controller On-Off

24V Remote driver On-Off / DALI (CVDA)



Mini CAP Bollard simulation





155