### WALL UP-DOWNLIGHT

MIRA family of small wall light characterized by clear and clean-cut line available in round an body. The housing is made from copper free enhanced LM6 die-cast aluminium with high corroproperty. The front glass cover is flush to the luminaire housing thus dust and water are not acc MIRA tilizes COB LED from industry renowned manufacturer and is available in 2700K, 3000K or all are 3-step SDCM. The specular computer-aided-design reflector with spill light cut-off louve sharp light distribution on the surfaces.













#### Specification

#### Available Color

•	Designed, Manufactured and tested according to IEC 60598	3Black	(replace the last 2 digits of ordering code with 01)
•	LM6 Die Cast Aluminium body.		(replace the last 2 digits of ordering code with 02)
•	Stainless steel screws.	Dark Grey	(replace the last 2 digits of ordering code with 03)
•	Nano Ceramic surface conversion.		(replace the last 2 digits of ordering code with 04)
•	Double layer coating.		(replace the last 2 digits of ordering code with 06)
	Safety glass cover	Wooden Brown	(replace the last 2 digits of ordering code with 07)

- Post-cured silicone gasket. High quality LED module and driver. Weather proof TPE grommet. Installation must be carried out according to the enclosed product manual. •

# MIRA

Mini MIRA Round Wall Downlight / Wall Up/Downlight



Mini MIRA Square Wall Downlight / Wall Up/Downlight









### **MIRA**

WALL UP-DOWNLIGHT

Mini MIRA Round - Wall Downlight / 5060 Mini MIRA Round - Wall Up/Downlight / 5061 Mini MIRA Square - Wall Downlight / 5160 Mini MIRA Square - Wall Up/Downlight / 5161 Luminaire Performance 460 - 1300 lm

8 - 14 W 57 - 92 lm/W Beam Options Color Temperature 2700K/ 3000K/ 4000K Controller On-Off

## MIRA

