

ZOUK



www.unilamp.co.th/en/p/zouk



- GENERAL WALL LIGHT
- STEPLIGHT & WALL RECESSED LIGHT



ZOUK is delicately designed and engineered for slim profile surface mounted and wall recessed light, featured low glare with screw-less appearance. Manufactured from LM6 Aluminium the housing is built to last and be situated in the the harshest of climates. The coating of Nano Ceramic film and double layer of durable paint ensures longevity. Built with the mindset of light comfort and soft visualization. Light source is CRI > 80 with an offering of 2700K, 3000k and 4000k. Available in various designs to compliment both commercial and residential applications.



ZOUK

- 1. Body Housing.**
Enhanced LM6 Die-Cast Aluminium housing with 16-step coating process including Nano Ceramic film. Low copper content <0.1%
- 2. Diffuser**
Impact resistant safety tempered glass diffuser with etched surface . Light spread evenly on the ground.
- 3. LED**
Array of mid power LED from world renowned manufacturer. Module attached directly to the body for fastest heat transfer. 2700K, 3000K and 4000K CRI>80 3-Step SDCM.
- 4. Driver**
High quality LED constant current driver. Conform to applicable safety standards and electromagnetic compatibility.
- 5. Screw less**
Clear and clean cut design. No visible screw from mounting point of view.



Specification

- Designed, Manufactured and Tested according to IEC 60598
- LM6 Die Cast Aluminium housing.
- Stainless steel screws.
- Nano Ceramic surface conversion.
- Double layer coating.
- Safety glass cover.
- Post-cured silicone gasket.
- High quality LED module and driver.
- GFR PA6.6 terminal block.
- Weather proof TPE grommet.
- Installation must be carried out according to the enclosed product manual.


Available Color

- Black (replace the last 2 digits of ordering code with 00)
- Graphite (replace the last 2 digits of ordering code with 01)
- Dark Grey (replace the last 2 digits of ordering code with 02)
- Aluminium Silver (replace the last 2 digits of ordering code with 03)
- White (replace the last 2 digits of ordering code with 04)
- Wooden Brown (replace the last 2 digits of ordering code with 05)




ZOUK


ZOUK1 /
ZOUK1 - CVDA



ZOUK2 /
ZOUK2 - CVDA



ZOUK3 /
ZOUK3 - CVDA



ZOUK

GENERAL WALL LIGHT

ZOUK1 / 7052
ZOUK1 - CVDA / 7052
ZOUK2 / 7053
ZOUK2 - CVDA / 7053
ZOUK3 / 7054
ZOUK3 - CVDA / 7054

Luminaire Performance

240 - 440 lm
7 - 11 W
30 - 48 lm/W

Beam Options




Color Temperature

2700K/ 3000K/ 4000K

Controller


Integrated driver with On-Off control
24V Remote driver with On-Off/ DALI control (CVDA)

Accessories




CV Driver



ZOUK1 Recess /
ZOUK1 Recess - CVDA



ZOUK2 Recess /
ZOUK2 Recess - CVDA



Mini ZOUK2 Recess /



ZOUK

STEPLIGHT & WALL RECESSED LIGHT

- ZOUK1 Recess / 6067
- ZOUK1 Recess - CVDA / 6067
- ZOUK2 Recess / 6068
- ZOUK2 Recess - CVDA / 6068
- Mini ZOUK2 Recess / 6069

Luminaire Performance

210 - 710 lm
7 - 11 W
27 - 71 lm/W

Beam Options



Color Temperature

2700K/ 3000K/ 4000K

Controller

Integrated driver with On-Off control
24V Remote driver with On-Off/ DALI control (CVDA)

Accessories

